


G1-1N-High voltage tester DC automated version



BestPerformance

High voltage tester G1-1N fully electronic For automated use only

- Test voltage 0.05 .. 6.00 kVDC grounded
- Tripping current 0 .. 20 uA / 200 uA/ 2.00 mA

Available expansion modules:

- Insulation resistance measurement
- Additional digital outputs
- Voltage readback

HV test

- Test voltage (general): 50 .. 6000 VDC
- Ramp function: 10 .. 1000 V/s
- Tripping current: 0 .. 20/200uA / 2mA
- Current limitation according to EN50191
- Tripping current programmable
- Test time: 0.5 .. 999.9 s
- Output power

G1-1N-High voltage tester DC automated version

- Contact monitoring by reading the minimum current
 - Contact monitoring by reading the test voltage
-

Display / Operation

- device control via interface only
-

Interfaces

- ethernet-interface
 - RS 232C-interface (optional)
 - USB-interface (optional)
-

Equipment data

- Mains voltage: 230 +/- 10%
 - Safety class: II
 - Slide in technique: 19"
 - Height : 4 HU
-

Extensions / Options

- Extension module with 6 digital outputs (optional)
 - Extension Module Voltage Feedback for contact monitoring (optional)
 - Extension Module Insulation resistance test - (DC required) (optional)
-

Order data

- Order description: High voltage tester DC
- Order number: G1-1N.3